



IFAM7.E475117

Light-emitting-diode Surface-mounted Luminaires Certified for Canada

[Page Bottom](#)

Light-emitting-diode Surface-mounted Luminaires Certified for Canada

[See General Information for Light-emitting-diode Surface-mounted Luminaires Certified for Canada](#)

HYPERIKON INC

E475117

6255 Ferris Square, Ste A
San Diego, CA 92121 USA

LED Pendant Surface-Mounted Luminaires, suitable for Dry Locations, Model(s) HyperBay100-XX (@), HyperBay100-XX1 (@), HyperBay150-XX (@), HyperBay200-XX (@), HyperBay60-XX (@)

LED Pendant Surface-Mounted Luminaires, suitable for Wet Locations, Model(s) HyperBay30-XX (@), HyperBay46-XX (@)

LED Pendant-Mounted Luminaires, Model(s) HYPERCANOPY45-XX(&), HYPERCANOPY70-XX(&)

LED Surface-Mounted Luminaire, Model(s) HyperObay60-XX (@), HyperObay90-XX (@), HyperObay120-XX (@), HyperWall70-XX1 (@) HyperSbay120-XX (@), HyperSbay150-XX (@), HyperSbay200-XX (@)

LED Wall-Mounted Luminaires, Model(s) HYPERWALL100-XX (#), HYPERWALL60-XX (#)

LED Wall-Mounted Luminaires, suitable for wet locations, Model(s) HyperWall120-XX (@), HyperWall150-XX (@)

HYPERWALL135-XX (&), HYPERWALL45-XX(&), HyperWall150-XX (@), HYPERWALL70-XX(&), HYPERWALL90-XX (&), HYPERWALLMOUNT17-XX (&), HYPERWALLMOUNT25-XX (&)

(#) - refers to where Where "XX" can be 0-9 to indicate different LED color temperature

(&) - Where XX can be 22-60 to indicate different LED color temperature.

(@) - Where XX represent the color temperature, 30/40/50/65 represents 3000k/4000K/5000K/6500K.

[Last Updated](#) on 2015-09-22

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".